MATERIAL SAFETY DATA SHEET

Lambert Southwest (903)657-4680 Product: Jet Black

Division of G. W. Holladay Interests Inc. P O Box 1111, Henderson TX 75653

Chemical Emergency Infotrac 800-535-5053 Date: January 2012

HAZARD MATERIAL IDENTIFICATION SYSTEM

Health Hazard 1 - Slight
Flammability Hazard 0 - Minimal
Reactivity Hazard 0 - Minimal

Personal Protection E -Glasses, Gloves, Dust Resp

SECTION I. MATERIAL IDENTIFICATION

Trade/Material Name: WATER WETTABLE BLACK

Description: Carbon Black

Other Designations: 219-0046 Jet Black

CAS: 1333-86-4

SECTION II. INGREDIENTS AND HAZARDS

INGREDIENT NAME: CAS NO. PERCENT EXPOSURE LIMITS
Carbon Black 1333-86-4 70-80 TLV/PEL 3.5MG/M³

Sodium Salt Condensed

Napthalene Sulfonic 9084-06-4 2-5 Non Hazardous

Acid 2-5 Not Established

Water 7732-18-5 25-30

All components of this product are listed on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory

SECTION III. PHYSICAL/CHEMICAL CHARACTERISTICS

Appearance and Odor: Dry Amphorous Black Powder

Solubility in Water (%) Insoluble

Specific Gravity (H₂O=1) 1.44

SECTION IV. FIRE AND EXPLOSION DATA

Flash Point (method): Non-flammable

Extinguishing Media: Copious Water

Unusual Fire or Explosion

Hazards: It may not be obvious carbon black is burning unless it is

stirred and sparks are apparent.

Special Fire fighting

Procedures: Normal fog or nozzle jet application and/or exclusion of air.

SECTION V. REACTIVITY DATA

Material is stable - Hazardous polymerization will not occur

Chemical incompatibilities: None known

Hazardous Decomposition

Products: Carbon monoxide, carbon dioxide and small

amounts or sulfur containing gases when burning.

Conditions to Avoid: Excessive heat or flame. May react with strong

oxidizers.

SECTION VI. HEALTH HAZARD INFORMATION

HAZARD BY ROUTES OF EXPOSURE

(Indicate chronic and acute)

Inhalation: No toxic or irritating vapors

Ingestion: Not likely to happen, no ill side effects expected

Eyes: May cause slight irritation to eye, redness.

Skin Contact: May cause slight irritation due to prolonged contact.

Exposure over TLV: No signs or symptoms known. Carbon black is not

considered a potential carcinogen by IARC, OSHA, or NTP.

EMERGENCY AND FIRST AID PROCEDURES

Inhalation: Move victim to fresh air.

Ingestion: Do not induce vomiting. Call physician immediately.

Eye Contact: Flush eyes with water for approximately 15 minutes.

Skin Contact: Wash area with plenty of soap and water.

SECTION VII. PRECAUTIONS FOR HANDLING, USE OR DISPOSAL

Spill/Leak Procedures: Spills should be vacuumed or sprayed with water and

removed by sweeping into suitable container.

Waste Disposal: Landfill according to Federal, State, and local laws.

SECTION VIII. SPECIAL PROTECTION INFORMATION

(WHEN OVER TLV)

Respiratory protection: Use NIOSH approved respirator.

Eye protection: Safety glasses, with side shields to avoid nuisance dust.

(Special Protection Information continued on next page)

(Special Protection Information continued from previous page)

Protective clothing: Rubber apron to protect clothing. Gloves not required.

Ventilation requirement: No special requirements.

Special Handling: Check for elevated levels of Co before entering confined

spaces.

DOT Class: Not regulated

SECTION IX. SPECIAL PRECAUTIONS

The The information presented herein is believed to be The information presented herein is believed to be accurate and was obtained for the the information the information is provided without any representation or warranty, expressed or implied, with completeness. It is the completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the suitability of completeness. It is the users' responsibility to determine the users' responsibility of completeness. It is the users' responsibility to determine the users' responsibility of completeness. It is the users' resp